

INDUSTRIAL REPAIR CATALOGUE



Conveyor Repair Solutions



pangindustrial.com

Splice. Protect. Repair.

PANG Industrial extends the life of industrial equipment with products for conveyor belt repair, maintenance, and machine protection.

Keeping Industry Rolling...

Trusted all over the world in industries from mining to food processing, PANG Industrial products are expertly engineered for repairs, protection, bonding, pulley lagging and belt fabrication.






Supporting Industrial Technicians Since 1926...

Whether you need cements, repairs or tools, PANG Industrial has you covered with a complete product portfolio. Our team recognizes that unplanned downtime is catastrophic so that's why we are committed to developing solutions and working closely with our partners to maximize productivity.

Don't let unplanned downtime become a catastrophe, depend on PANG Industrial to get you running and keep you running!





	Cements & Chemicals	1 - 4
	Rubber & Belt Repair Materials.....	5
	Uncured Rubber & Splice Materials.....	6 - 7
	Tools & Accessories	8 - 38
	Product Index.....	39 - 41

Pangofol BLACK CFC-Free

- CFC-Free Pangofol black, two-part cement for cold bonding rubber.
- Used in conjunction with PANG Primer to bond rubber to steel, fiberglass, and other surfaces.
- Great for belt repairs, splicing and fabrication, pulley lagging and protective lining.
- Flammable

Item No.	Description	Activator Qty. (60cc)
992F/8OZ	PANGOFOL BLACK, 8 oz, 235ml	15cc
992F/QT	PANGOFOL BLACK, 1 quart, 1.65 lb, .75kg	1
992F/GAL	PANGOFOL BLACK, 1 gallon, 6.6 lb, 3kg	4
992F/5GAL	PANGOFOL BLACK, 5 gallon, 33 lb, 15kg	20
992F/55GAL	PANGOFOL BLACK, 55 gallon, 400 lb, 182kg	220
PANGKITF	PANGOFOL BLACK KIT Contains Pangofol Black Quart and 60cc Activator	—

• Mixture ratio: 1 qt of Pangofol with 60cc of 968F activator



Pangofol BLACK

- Pangofol black two-part cold bond cement. Bonds a wide variety of rubber compounds.
- Used in conjunction with PANG Primer to bond rubber to steel, fiberglass, and other surfaces.
- Great for belt repairs, splicing and fabrication, pulley lagging and protective lining.
- Non-Flammable

Item No.	Description	Activator Qty. (60cc)
992/QT	PANGOFOL BLACK, 1 quart, 1.65 lb, .75kg	1
992/GAL	PANGOFOL BLACK, 1 gallon, 3.8 litre	4
992/55GAL	PANGOFOL BLACK, 55 gallon, 400 lb, 182kg	220
PANGKIT	PANGOFOL BLACK KIT Contains Pangofol Black Quart and 60cc Activator	—

• Mixture ratio: 1 qt of Pangofol with 60cc of 968F activator
Only available for use in certain countries.



Pangofol WHITE CFC-Free

- Pangofol White is oil resistant and FDA compliant for approved applications in the food industry, repairing conveyor belts in cold cure, splice repair applications and adhering pulley lagging.
- Flammable

Item No.	Description	Activator Qty. (60cc)
993F/QT	PANGOFOL WHITE, 1 quart, 1.65 lb, .75kg	1
993F/GAL	PANGOFOL WHITE, 1 gallon, 6.6 lb, 3kg	4
993F/5GAL	PANGOFOL WHITE, 5 gallon, 33 lb, 15kg	20

• Mixture ratio: 1 qt of Pangofol with 60cc of 968F activator



Plastopang Clear Two-Part Cement for PVC/Urethane

- Plastopang is a flammable, two-part, clear PVC liquid bonding cement.
- Excellent for splicing PVC/polyurethane belts, bonding PVC cleats, V guides, and edge walls

Item No.	Description	Activator Qty. (30cc)
1090F/8OZ	PLASTOPANG PVC CEMENT, 8 oz, 235ml with brush top lid	15cc
1090F/QT	PLASTOPANG PVC CEMENT, 1 quart, 945ml	1
1090F/GAL	PLASTOPANG PVC CEMENT, 1 gallon, 3.8 litre	4
1090F/5GAL	PLASTOPANG PVC CEMENT, 5 gallon, 19 litre	20
1090F/53GAL	PLASTOPANG PVC CEMENT, 53 gallons, 200 litre	212
PPANGKIT2	PLASTOPANG QT & 968F/30CC	—

- Mixture ratio: 1 qt of Plastopang with 30cc of 968F activator



Activator for Pangofol & Plastopang Cements

- PANG Activator is used with Pangofol and Plastopang two-part cements.
- Flammable

Item No.	Description
968F/30CC	PANG ACTIVATOR CLEAR, 30 cc
968F/60CC	PANG ACTIVATOR CLEAR, 60 cc



PANG Metal Primer

- PANG Metal Primer is recommended for use in cold bonding applications in conjunction with PANGOFOL and PLASTOPANG cements.
- Metal Primer can boost adhesion when bonding rubber or PVC to metal by as much as 50%.
- Flammable

Item No.	Description
960/QT	PANG METAL PRIMER (959), 1 quart, 945ml
960/GAL	PANG METAL PRIMER, 1 gallon, 3.8 litre
960/5GAL	PANG METAL PRIMER, 5 gallon, 19 litre



Bufsol Pre-Buff Cleaner

- Bufsol is a CFC-free rubber cleaning solvent recommended for cleaning rubber and metal before applying primers or bonding cements.
- Flammable

Item No.	Description
816F/400ML	BUFSOL PRE-BUFF CLEANER, AEROSOL, 400ml
816F/QT	BUFSOL PRE-BUFF CLEANER, 1 quart, 945ml
816F/GAL	BUFSOL PRE-BUFF CLEANER, 1 gallon, 3.8 litre
816F/5GAL	BUFSOL PRE-BUFF CLEANER, 5 gallon, 33 lb, 15kg
816F/55GAL	BUFSOL PRE-BUFF CLEANER, 55 gallon, 208 litre
975	ATOMIZER REFILLABLE SPRAYER, 16 oz, 453.6g



Blue Maxibond Cement

- Blue Maxibond is a one part chemical vulcanizing fluid that allows PANG A&B rubber to vulcanize to various rubber substrates such as NR or SBR belting, lagging, or lining.
- Flammable

Item No.	Description
658F/8OZ	BLUE MAXIBOND CEMENT, 8 oz, 235ml
658F/QT	BLUE MAXIBOND CEMENT, 1 quart, 945ml
658F/GAL	BLUE MAXIBOND CEMENT, 1 gallon, 3.8 litre
658F/55GAL	BLUE MAXIBOND CEMENT, 55 gallon, 208 litre



Super Solution

- Super Solution is a clear, fast dry, flammable chemical vulcanizing fluid that allows PANG A&B rubber to vulcanize to various rubber substrates such as NR or SBR belting, lagging, or lining.

Item No.	Description
608F/8OZ	SUPER SOLUTION, 8 oz, 235ml
608F/QT	SUPER SOLUTION, 1 quart, 945ml



Rapid Solution Heat Cure Cement

- Rapid Solution Hot Vulcanizing Cement is a flammable, black, one-part cement recommended for hot vulcanized belt splices and fabrication such as edge walls, cleats, v-guides, etc.
- Performs well with NR, SBR, BR, and EPDM rubber compounds.
- Temperature range 212°F to 320°F (100°C to 160°C).

Item No.	Description
RS3F/QT	RAPID SOLUTION VULCANIZING CEMENT, 1 quart, 945ml
RS3F/GAL	RAPID SOLUTION VULCANIZING CEMENT, 1 gallon, 3.8 litre
RS3F/5GAL	RAPID SOLUTION VULCANIZING CEMENT, 5 gallon, 19 litre
697-5	ALUMINUM CEMENT DISPENSER, 1 litre, each
697	REPLACEMENT BRUSH/LID FOR 697-5, each



Lubricants

Item No.	Description
TPL11	TECH PENETRATING LUBRICANT, 11 oz, 312g
418-08907	MARKAL ANTI-SEIZE, 16 oz, 470ml
418-08910	MARKAL ANTI-SEIZE, 10 oz, 294ml



Salvadori Cements & Chemicals

Item No.	Description
8701	SALVADORI CEMENT, 660kg
8702	SALVADORI ACTIVATOR, 33g
8703	KIT, 8701 CEMENT + 8702 ACTIVATOR
8707	SALVADORI PRIMER, 700g



Rubber Repair Resins

- Two-part urethane used for fast repairs on rubber belt, lagging, and lining.
- Conveniently mixed and applied straight from the packaging.


Item No.	Description
EF100G	ELI-FLEX KIT, 100 gram
EF150G	ELI-FLEX KIT, 150 gram
EF300G	ELI-FLEX KIT, 300 gram
EF500G	ELI-FLEX KIT, 500 gram
EFPS250G	PROTEKT A SPLICE KIT, 250 gram



EF100G

Chemical Belt Repair Patches


- Pang Diamond Patches and Repair strips provide a solution for belt repair in the field.
- Use with Pangofol cement.




Item No.	Description	Dim. (mm)	Dim. (inch)	Box Qty.
DP5	DIAMOND PATCH	135 x 150	5.25 x 6	10
DP10	DIAMOND PATCH	200 x 250	8 x 10	5
DP15	DIAMOND PATCH	267 x 355	10.5 x 14	3
DP20	DIAMOND PATCH	445 x 460	17.5 x 18	2
NDP5	DIAMOND PATCH REINFORCED	135 x 150	5.25 x 6	10
NDP10	DIAMOND PATCH REINFORCED	200 x 250	8 x 10	5
NDP15	DIAMOND PATCH REINFORCED	267 x 355	10.5 x 14	3
NDP20	DIAMOND PATCH REINFORCED	445 x 460	17.5 x 18	2
PLC10LF	BELT REPAIR STRIP	100 x 10,000	4 x 396	1
PLC15LF	BELT REPAIR STRIP	150 x 10,000	6 x 396	1
NPL10LF	REPAIR STRIP REINFORCED	100 x 10,000	4 x 396	1
NPL15LF	REPAIR STRIP REINFORCED	150 x 10,000	6 x 396	1

Chemical Cure Rubber

- PANG Chemical Tie Gum is a cured neoprene rubber compound specially formulated to strengthen the cold bond of rubber substrates when used in conjunction with any of our three PANGOFOL cements.
- GH Chemical Cure rubber is recommended for chemical vulcanization of lining and pulley lagging seams. Provides excellent adhesion when used with Blue Maxi-Bond Cement, Heavy Duty Solution, or SuperSolution.



GH218/BX




GH200/BX

CTGS/BX15

Item No.	Description	Dimensions (mm/inch)	Weight (kg/lb)	Qty.
CTGS/BX15	CHEMICAL TIE GUM SHEETS	318 x 349 / 12.5 x 13.75	2.72 / 6	15
GH100BX	CHEMICAL CUSHION GUM	.8 x 150 / 1/32 x 6	5 / 11	1
GH200BX	CHEMICAL CUSHION GUM	.8 x 225 / 1/32 x 9	5 / 11	1
GH218BX	CHEMICAL CUSHION GUM	.8 x 450 / 1/32 x 18	5 / 11	1

Cover Stock

- PANG Cover Stock is an uncured, natural gum rubber with excellent adhesion and abrasion resistance.
- Recommended for hot vulcanized splicing and fabrication.
- Use with Rapid Solution.



PCS018RL



867BX



863BX



864BX


Item No.	Description	Dim. (mm)	Dim. (inch)	Weight (kg/lb)	Qty.
PCS018RL	PANG COVER STOCK, roll	3 x 500	1/8 x 20	9.0 / 20	1
PCS116RL	PANG COVER STOCK, roll	1.5 x 500	1/16 x 20	6.8 / 15	1
PCS132RL	PANG COVER STOCK, roll	.8 x 500	1/32 x 20	6.8 / 15	1
PCS316RL	PANG COVER STOCK, roll	4.8 x 500	3/16 x 20	13.6 / 30	1
862BX	VUL-GUM CUSHION GUM, box	3 x 475	1/8 x 19	4.5 / 10	1
863BX	VUL-GUM STRIPPING STOCK, box	1.5 x 25	1/16 x 1	.9 / 2	9
864BX	VUL-GUM STRIPPING STOCK, box	1.5 x 50	1/16 x 2	1.8 / 4	4
867BX	VUL-GUM CUSHION GUM, box	1.5 x 475	1/16 x 19	6.8 / 15	1
868BX	VUL-GUM CUSHION GUM, box	.8 x 475	1/32 x 19	6.8 / 15	1

Uncured Rubber & Splice Materials

Tie Gum

- L Series tie gum provides high tack and excellent tensile strength when used in hot vulcanized splices.
- Use with Rapid Solution.


Item No.	Description	Dimensions (mm/inch)	Weight (kg/lb)	Qty.
LMBX	CUSHION GUM, box	.8 x 700 / 1/32 x 19	6.8 / 15	1
LNBX	CUSHION GUM, box	1.5 x 450 / 1/16 x 18	6.8 / 15	1
LTBX	CUSHION GUM, box	3 x 25 / 1/8 x 1	.9 / 2	9
LA18BX	LOW CURE GUM, box	1.5 x 38 / 1/16 x 1 1/2	—	1



Fabric Reinforced Rubber

- Fabrics are skimmed with natural rubber for use in hot vulcanized splicing and manufacturing processes.


Item No.	Description	Dimensions (mm/inch)	Weight (kg/lb)	Qty.
BN18RL	1 PLY POLYESTER CORD, roll	.8 x 450 / 1/32 x 18	11.5 / 25	1
BH18RL	HD NYLON CORD, roll	1.2 x 450 / 3/64 x 18	11.5 / 25	1
BT18RL	BREAKER FABRIC, roll	1.5 x 450 / 1/16 x 18	11.5 / 25	1
TCJRL	P44526-30 FAB. SLIT, roll	.8 x 700 / 1/32 x 28	11.5 / 25	1



Butyl Gum

- Uncured Butyl Rubber excellent for high temperature applications.

Item No.	Description	Dimensions (mm/inch)	Weight (kg/lb)	Qty.
BTLG-125/10#BX	BUTYL GUM, box	1 x 495 / 1/25 x 19 1/2	4.5 / 10	1



Rope Rubber & Cushion Gum

- Developed to repair surface damage for cold (100°C) and hot (150°C) repair processes.
- Additional sizes and thicknesses available upon request.

Item No.	Description	Dimensions (mm/inch)	Weight (kg/lb)	Qty.
RR6	ROPE RUBBER	-	10.5	1
LPV127-500	UNCURED RUBBER, roll	500 x 0.8	10	1
LPV127-5002.0	UNCURED RUBBER, roll	500 x 2	10	1
LPV127-5003.0	UNCURED RUBBER, roll	500 x 3	10	1
LPV127-5004.0	UNCURED RUBBER, roll	500 x 4	10	1
LPV127-5005.0	UNCURED RUBBER, roll	500 x 5	10	1
LPV127-5006.0	UNCURED RUBBER, roll	500 x 6	10	1

Electrical Extruder Gun

- Pang Industrial extruder guns, designed and manufactured by sister company Salvadori, are deemed to be the finest in the industry.
- The choice of professionals worldwide, these guns are designed to fill a wide range of injuries quickly and easily without trapping air. Perfect for section repair build-up and for filling skives.




685-EL

Item No.	Rubber Production	Drill Power	Heater	Weight	Temperature
685-EL	18 Kg/h	550 Watt	350 W - 220 V	6 kg	0-120°C

Electrical Extruder Gun Kit

68540 Kit Contains:

Item No.	Description	Qty.
68501	NOZZLE	1
68509	EXTRUDER SCREW	1
68513	220V HEATER	1
68515	THERMOSTAT	1



A&B Strip Rubber Extruder

- Conveniently repairs belts and liners in remote areas when used with PANG Industrial A & B Strip Rubber (130A & 130B).
- No Air Access – No Problem! The electric drive motor eliminates the need for a heavy compressor and air lines.



Item No.	Rubber Production	Drill Power	Electrical Resistance	Weight
683	40 Kg/h	230 Watt	1150 W - 230 V	9 kg

Item No.	Description
68301	NOZZLE KIT for 683



Chemical Cure A&B Rubber

- PANGIT A&B rubber is a two part chemical cure rubber available in two forms: A&B Compound, in cans, and A&B Strip Rubber for use with extruder guns.
- PANGIT A&B Compound putty is convenient and economical for small jobs.
- PANG A&B Strip Rubber is perfect for tackling large belt repairs and lining jobs.

Item No.	Description
110FP-SET/2LB	PANGIT A&B, 2 lb / 0.9 kg set
120FP-SET/4LB	PANGIT A&B, 4 lb / 1.8 kg set
130A	A COMPOUND STRIP RUBBER, box of 5 — 1lb, .453kg rolls
130B	B COMPOUND STRIP RUBBER, box of 5 — 1lb, .453kg rolls
130C	CLEANOUT STRIP RUBBER, box of 5 — 1lb, .453kg rolls



110FP-SET/2LB



120FP-SET/4LB



130A

130B

Splicing Tool Kit


1078 Kit Contains:

Item No.	Description	Qty.
551	WHITE CRAYONS, 12 pc., 14mm	1
200	SILVER MARKER	3
853	TRACER, 30 mt	1
495	NEUTRAL EYEGLASSES	1
501-1	WORK GLOVES, pair	1
530	STEEL TAPE, 5m roll	1
1087	PROFESSIONAL TAPE RIPPING PLIERS	1
843	BELT COVER PULLER	1
887	CLAMPING SCREW, 300 x 140mm	1
1152	BRUSH, Ø 55	1
1086	HAND BRUSH	1
1153	RUBBER HAMMER	1
TFW415	SPECIAL BUFFING WHEEL, 100 x 40mm	1
540	HEXAGONAL STEM TOOL CARRIER for 539, 3/8", UNFX16	1
1083	CONCAVE BRUSH, for steel cords, 100 x 40mm diameter	1
S9015	RING BRUSH, 90 x 0.15mm	2
546S	STEM FOR BRUSHES	1
2540	FLAT DISC, 150 x 2gr, 16/36	1
L-06	SPARE BELT PUNCH, D.6	1
L-08	SPARE BELT PUNCH, D.8	1
885	SPECIAL PLIERS, 200mm length	1
592	CARDING HAND BRUSH	1
448-1	KNURLED ROLLER, Ø 50 x 4	1
448-4	KNURLED ROLLER, Ø 50 x 6	1
442	REPLACEABLE PIN ROLLER, Ø 52 x 27mm	1
848	PLIERS, 220mm	1
490	KNIFE SHARPENING STONE	1
491-2	SHEARS FOR RUBBER, 8" 220mm	1
492	FINE POINTED AWL	1
486	HOOK KNIFE	1
481	STRAIGHT BLADE KNIFE	1
431	HOOKED AWL	1
485-1	ANGLED KNIFE	1
486-1	WOOD HANDLE KNIFE	1
1095	STANLEY CUTTER, 160mm length	1
1095-1	SPARE STRAIGHT BLADES, 10 pc. box	1
432	ROLLER FOR CUTTING	1



Blades & Cutting Tools

Item No.	Description	Box Qty.
431	HOOKED AWL	Ea.
432	ROLLER FOR CUTTING	Ea.
433	CUTTER, non-adjustable	Ea.
485-1	ANGLED KNIFE	Ea.
486	HOOK KNIFE	Ea.
486-1	WOODEN HANDLE KNIFE	Ea.
486-2	SPARE BLADE for 486-1	Ea.
486-3	PLASTIC HANDLE KNIFE	Ea.
486-4	SPARE BLADE for 486-3	Ea.
487	STANLEY CUTTER	Ea.
488	SPARE STRAIGHT BLADE	Ea.
592	CARDING HAND BRUSH	Ea.
592-1	SPARE PARTS for 592	Ea.
599	DEXTER HOOK KNIFE, 500mm, 2"	Ea.
830	DEXTER HOOK KNIFE, 50mm, 2", plastic handle	Ea.
831	CURVED KNIFE for rubber	Ea.
832	SPECIAL KNIFE for rubber	Ea.
1095	CUTTER, 160mm length	Ea.
1095-1	SPARE STRAIGHT BLADES	10



Electric Knife Heaters

- Ideal to heat rubber cutting knives, shears and small tools that require heat for efficient operation.



469



467

Item No.	Description
467	KNIFE HEATER, 230V, 10" knife, max. temp. 240°C
469	KNIFE HEATER, adjustable temperature, max. temp. 120°C

Thermocutter

- Can cut thermoplastic materials up to 5 inches thick, depending on material density.
- Blade heats up instantly.
- Lightweight and dependable, these cutters always get the job done.



7251



7252



7253



7254



724

Item No.	Description
724	THERMOCUTTER
7251	BLADES for cuts 15mm
7252	BLADES for cuts 30mm
7253	BLADES for cuts 15mm
7254	BLADES for cuts 45mm

Knives & Blades

Item No.	Description	Box Qty.
480	STRAIGHT BLADE KNIFE, 5", 120mm	Ea.
480-1	STRAIGHT BLADE KNIFE, 4", 100mm	Ea.
481	STRAIGHT BLADE KNIFE, 6", 150mm	Ea.
481-1	STRAIGHT BLADE KNIFE, 8", 220mm	Ea.
482	CRESCENT-SHAPED KNIFE, 8", 220mm	Ea.
490	KNIFE SHARPENING STONE	Ea.
428	QUARTER MOON-SHAPED KNIFE	Ea.
429	CRESCENT-SHAPED KNIFE	Ea.
463-3	PARING KNIFE, 1 tooth	Ea.
463-4	DOUBLE TOOTH PARING KNIFE	Ea.



Pliers & Cable Cutters

Item No.	Description	Box Qty.
848	PLIERS, 220mm	Ea.
848-1	PLIERS, 250mm	Ea.
848-2	PLIERS, 280mm	Ea.
885	SPECIAL PLIERS, 200mm	Ea.
886	SELF-LOCKING PLIERS, 180mm	Ea.
1087	PROFESSIONAL TAPE RIPPING PLIERS	Ea.




Clamping Screws

Item No.	Description	Box Qty.
887	CLAMPING SCREW, 300 x 140mm	Ea.
888	CLAMPING SCREW, 500 x 120mm	Ea.



Spare Belt Punches

Item No.	Description	Weight (kg)
L-06	BELT PUNCH, 6mm	0.06
L-08	BELT PUNCH, 8mm	0.06
L-10	BELT PUNCH, 10mm	0.06
L-12	BELT PUNCH, 12mm	0.12
L-14	BELT PUNCH, 14mm	0.12
L-16	BELT PUNCH, 16mm	0.12
L-18	BELT PUNCH, 18mm	0.18
L-20	BELT PUNCH, 20mm	0.18
L-22	BELT PUNCH, 22mm	0.18
L-24	BELT PUNCH, 24mm	0.18
L-26	BELT PUNCH, 26mm	0.25
L-28	BELT PUNCH, 28mm	0.25
L-30	BELT PUNCH, 30mm	0.25



Belt Punch Set

Item No.	Description	Weight (kg)
LS-1/06-24	BELT PUNCH SET, 6 - 24mm	1.36

Bosch 630W Planer

- Fast, precise skiving of belt cover.
- Allows mechanical fasteners to be recessed preventing damage to belt cleaners.

Item No.	Description	Weight (kg)
1350	PLANER, 18.000 RPM 230v - 630w - 50/60Hz	2.8






Brushes

Item No.	Description	Box Qty.
590	BRASS BRUSH	Ea.
591	BRUSH, to roughen surfaces	Ea.
966	CLEANING BRUSH, with brass bristles	Ea.
1086	BRUSH	Ea.
1150	BRUSH Ø 36	Ea.
1152	BRUSH Ø 55	Ea.
24005	BRUSH Ø 50	Ea.




High Pressure Stitchers

- Applies pressure from top and bottom of the belt simultaneously for maximum adhesion.
- Ideal for splicing.



Item No.	Description	Box Qty.
423	HIGH PRESSURE TELESCOPIC STITCHER 618 - 1131mm	Ea.
425	HIGH PRESSURE STITCHER, 420mm	Ea.
426	HIGH PRESSURE STITCHER, 620mm	Ea.
427	HIGH PRESSURE ROLLER, 820mm	Ea.

Flexco Smart Clamp



Item No.	Description	Weight (kg)
LD BELT CLAMP	SMART CLAMP SET OF 4 for belts up to 8mm width	21


Belt Clamps

Item No.	Description	Weight (kg)
839	BELT CLAMP, 609mm, 24" length	8
840	BELT CLAMP, 914mm, 36" length	11
841	BELT CLAMP, 1220mm, 48" length	15



Belt Stripping Tools

Item No.	Description	Max. Pull
843	BELT COVER PULLER 175 L = 198mm	600kg
844	BELT COVER PULLER 175 L = 198mm	1250kg
850	GRIPPING CLAMP 25mm belt thickness	8kN
851	GRIPPING CLAMP 55mm belt thickness	30kN



Cable Winch





Item No.	Description	Pull Capacity	Cable Diameter	Cable Length
1075	CABLE WINCH	Max. 800kg	8.3mm	20m

Chain Winch



Item No.	Description	Pull Capacity	Cable Diameter	Cable Length
1076	CHAIN WINCH	Max. 1500kg	7mm	1.5m

Electric Winch



Item No.	Description	Pull Capacity	Cable Diameter	Cable Length	Weight (kg)
838	ELECTRIC WINCH 380 volt, 2.2 kilowatt	Max.500kg	7mm	25m	60


Marking Crayons

Item No.	Description	Box Qty.
551	SMALL MARKING CRAYONS, white, Ø14	12
554	SMALL MARKING CRAYONS, blue, green, red & yellow, Ø14	12
552-01	LARGE MARKING CRAYONS, white, Ø18	20
552	LARGE MARKING CRAYONS, white, Ø18	72
553-01	LARGE MARKING CRAYONS, blue, green, red & yellow, Ø18	20
553	LARGE MARKING CRAYONS, blue, green, red & yellow, Ø18	72
556G	SMALL CHALK HOLDER, Ø14	Ea.
556-1G	LARGE CHALK HOLDER, Ø18	Ea.



Measuring Instruments

Item No.	Description	Box Qty.
889	SQUARE RULER, 500 x 280mm	Ea.




Angle Grinder & Accessories



1400

Item No.	Description	RPM	Shaft Size	Current Input	Weight (kg)
1400	ANGLE GRINDER	750-3000	Ø 180	240v/110v - 1400w	2.5

Item No.	Description	Box Qty.
1401	BACKING PAD, 180mm diameter	Ea.
1402	SANDING DISC, 180mm diameter 60 grit	bx
1403	SANDING DISC, 180mm diameter 36 grit	bx
1404	BACKING PAD, 150mm diameter	Ea.
1405	FIBRE DISC, 150mm diameter 60 grit	bx
1406	FIBRE DISC, 150mm diameter 40 grit	bx



Rubber Skiver

Item No.	Description	Box Qty.
1088	RUBBER SKIVER, 730 watt, 230 volt	Ea.
1088-1	REPLACEMENT BLADE for 1088, 210mm	Ea.



Bosch Rubber Skiver

- Used for skiving belt when splicing and stripping rubber from steel.

Item No.	Description	Box Qty.
1080	RUBBER SKIVER, 400 watt, 230 volt	Ea.
1081	SCRAPER for 1080	Ea.
1082	REPLACEMENT BLADE for 1080	Ea.



Regroover

- The PS15 OTR includes a 1000W transformer, 5 heating positions and a zero setting.
- This unit is specially designed for intensive regrooving with R5, C5 and C6 blades.

Item No.	Description
PS15OTR	REGROOVER, 1000 watt

Regroover Blades



Item No.	Description	Box Qty.
PS15/C-1	ANGLE BLADE, 3-5mm	20
PS15/C-2	ANGLE BLADE, 6-10mm	20
PS15/C-3	ANGLE BLADE, 8-12mm	20
PS15/C-4	ANGLE BLADE, 10-14mm	20
PS15/C-5	ANGLE BLADE, 12-17mm	10
PS15/R-1	ROUND BLADE, 3-5mm	20
PS15/R-2	ROUND BLADE, 5-11mm	20
PS15/R-3	ROUND BLADE, 7-13mm	20
PS15/R-4	ROUND BLADE, 9-16mm	20
PS15/R-5	ROUND BLADE, 11-8mm	20



Pulley Lagging

- Hardness 60 shore A \pm 5
- Tensile strength 100kg / cm²

Item No.	Description	Size
8658	L/RR DIAMOND LAGGING	15mt x 2mt (8mm Thickness)
8659	L/RR DIAMOND LAGGING	15mt x 2mt (10mm Thickness)



Pneumatic Hammer



Item No.	Description	Box Qty.
833	PNEUMATIC HAMMER for lagging	Ea.
1010	PNEUMATIC HAMMER with hard rubber for applying patches	Ea.
1153	RUBBER HAMMER	Ea.



Grinders



870




871

Item No.	Description	Shaft Size	Current Input	Weight (Kg)
870	BOSCH GWS 15-150	Ø 150	230v / 2200w / 50Hz	2.4
871	BOSCH GWS 22-180 JH	Ø 180	230v / 1500w / 50Hz	5.3
GWS 30-180 B	BOSCH 8500 RPM	Ø 180	2800w	5.7

Flat Discs



MCM Discs



Item No.	Size	Hole	Grit
2538	Ø 100 x 2	Ø 16	16/36
2540	Ø 150 x 2	Ø 13	16/36
2541	Ø 180 x 2	Ø 22	16/36
2554	Ø 175 x 2	Ø 22	16/36
2556	Ø 125 x 2	Ø 22	16/36

Item No.	MCM	Size	Hole
879	120	Ø 170	Ø 22
880	70	Ø 115	Ø 22
881	90	Ø 115	Ø 22
882	120	Ø 115	Ø 22

Grinders



Item No.	Description	RPM	Current Input	Weight (Kg)
1100	BOSCH ELECTRICAL GRINDER	750-3000	230v / 1400w	3.4

Item No.	Description	RPM	Wheel Capacity	Current Input	Weight (Kg)
1351	BOSCH ELECTRICAL AXIAL GRINDER	2500-8000	Ø 150	230v / 750w / 50Hz	3.4

Carbide Wheels

Item No.	Model	Size	Hole	Grit
BJ CW76	COPPER WHEEL	76 x 32	14	14/16/18/36
BJ CW102	COPPER WHEEL	102 x 38	14	16/18/36/80

Item No.	Model	Size	Grit
S2020	COPPER WHEEL	Ø 75 x 40	16/36
TCW315	COPPER WHEEL	Ø 76 x 38	16
TCW415	COPPER WHEEL	Ø 102 x 38	16/36
TFW310	FLAT WHEEL	Ø 75 x 25	16/36
TFW415	FLAT WHEEL	Ø 100 x 40	16/36
CARB200	FLAT WHEEL	Ø 76 x 25	36



BJ CW 76



BJ CW 102



TCW 315



TCW 415



TFW 310



TFW 415



S2020



CARB 200

Portable Star Wheel Grinder



1099

Item No.	Description	Buffing Width	Variable RPM	Grit	Carbides Star Wheels
1099	STAR WHEEL GRINDER	120mm	1760 RPM	18-23-26	No. 5 / Ø 110

Star Wheels


Item No.	Size	Hole	Grit
2548	Ø 100 x 6	19/22	16
2549	Ø 110 x 6	19/22	16
2550	Ø 150 x 6	60	16
2551	Ø 200 x 6	125	16
2552	Ø 225 x 6	150	16
2553	Ø 245 x 6	70/150	16



Brushing Unit for Conveyor Belts

When requesting a quote please provide:

- Type of Brushing Unit – Conveyor Belt Width
- Dimension X (the interaxis of the foot support and conveyor frame)
- Rotation speed of the brush
- Technical characteristics of the electrical engine
- Type and nature of the material to be removed and speed in m./sec.



Item No.	Brushing Units (mm)	Brush Outer Diameter (mm)	Engine Power
1111	480 / 700	300	HP 1.0 324 RPM
1112	750 / 1000	300	HP 1.5 324 RPM
1123	1050 / 1200	300	HP 2.0 324 RPM

Item No.	Description
1111-1	SPARE STRIPS KIT for 1111, 8 ct.
1112-1	SPARE STRIPS KIT for 1112, 8 ct.
1123-1	SPARE STRIPS KIT for 1123, 8 ct.

Hot Air Guns



852



855

Item No.	Description	Current Input	Working Temperature
852	BOSCH GHG 600 CE 2000 W	230v / 2000w	100 - 600°C
855	BOSCH GHG 660 CE 2300 W	230v / 2300w	50 - 660°C

Pliers & Cable Cutters

Item No.	Description	Qty.
883	BOLT CROPPER, 600mm	Ea.
883-1	SPARE BLADE FOR 883	Ea.
884	STEEL CABLE CUTTER, 600mm	Ea.

883



883-1

884



Concave Brush for Steel Cords

Item No.	Model	Size	Thickness	Hole
1083	CONCAVE BRUSH	Ø100 x 40	0.30	Ø16




1083




Cable Stripper


Item No.	Description	Pkg. Qty.
1079	CABLE STRIPPER	Ea.



1079



Battery Powered Belt Cutter



Item No.	Description	Cut Depth Max. (mm)	weight (kg)
793	BELT CUTTER, battery operated	50	19

Electric Belt Cutter



Item No.	Description	Cut Depth Max. (mm)	Weight (kg)
790	BELT CUTTER, electric 240V-550W / 110V-550W	50	19

Belt Cutter Blade

Item No.	Description	Weight (kg)
791	SPARE BLADE for 790 & 793	1.50



Rectangular Rubber Brander

- Allows retreaders and tire technicians to quickly and easily brand tires for proper identification.

Item No.	Description
812	RUBBER BRANDER
813	LETTERS, NUMBERS AND SYMBOLS for rubber brander
814	HEATER for rubber brander



Inspection Lamp

Item No.	Description
269	INSPECTION LAMP




Stitchers



Item No.	Description	Dimensions (mm)
448	KNURLED STITCHER	Ø 40 x 2.5
448-1	KNURLED STITCHER	Ø 50 x 4
448-4	KNURLED STITCHER	Ø 50 x 6
448-5	KNURLED STITCHER	Ø 25 x 2
452	KNURLED STITCHER	Ø 40 x 76
453	PLAIN CYLINDRICAL STITCHER	Ø 40 x 12
455	PLAIN CYLINDRICAL STITCHER	Ø 40 x 46

Stitcher Replaceable Pins



Item No.	Description	Dimensions (mm)	Pin Size (mm)
322	REPLACEABLE PINS, 9,000 pc. box	—	Ø 1.5 x 12
442	REPLACEABLE PIN ROLLER, ea.	Ø 52 x 27	Ø 1.5 x 12
443	REPLACEABLE PIN ROLLER, ea.	Ø 52 x 46	Ø 1.5 x 12
444	REPLACEABLE PIN ROLLER, ea.	Ø 52 x 76	Ø 1.5 x 12

* Other size tips available upon request.


RSTK Staple Kit

- Relay servicing tool kit.
- Kit contains RSC187 installation tool, staple set plate, hammer, hand skiver and belt nippers.

Item No.	Width (mm)	Weight (kg)
RSTK4-6	150	8.8
RSTK4-12	300	12.1

Staple Driving Tools

Item No.	Width (mm)	Weight (kg)
RSC187	50	0.5
RSC187-4	100	1.5



ALLIGATOR Ready Set

- Conveyor belt fastening system.
- Use the product key below to help choose the correct fasteners for your conveyor belt.



PRODUCT KEY		
Belt Thickness Range (mm)	Recommended Min. Pulley Ø (mm)	Use Item No.
1.5 - 3.2	50	RS62
3.2 - 4.8	75	RS125
4.8 - 6.4	100	RS187



Galvanized Steel Fasteners

- Each box contains 4 sets of fasteners.
- Also available for belt width 600mm - 800mm - 1000mm - 1200mm - 1500mm

Item No.	Belt Width (mm)	Weight (kg)
RS62J12/300NC	300	0.61
RS125J12/300NC	300	0.91
RS187J12/300NC	300	1.16

Stainless Steel Fasteners

- Each box contains 4 sets of fasteners.
- Also available for belt width 600mm - 800mm - 1000mm - 1200mm - 1500mm

Item No.	Belt Width (mm)	Weight (kg)
RS62SJ12/300NCS	300	0.61
RS125SJ12/300NCS	300	0.91
RS187SJ12/300NCS	300	1.16

ARTK Tool Kit

- Kit contains ART installation tool, hand belt skiver, hammer, pin bender and 2 packages of ARJ fasteners in plastic tool box.



Item No.	Tool Width (mm)
ARTK-7	175
ARTK-14	350

Pin Bander Tool

Item No.	Tool Width (mm)	Belt Thickness Range (mm)	Recommended Min. Pulley Ø (mm)
ART-7	175	3.2 - 5.6	90
ART-10	250	3.2 - 5.6	90
ART-14	350	3.2 - 5.6	90




Stainless Steel Fasteners

Item No.	Belt Width (mm)	Fastener Sets
ARJ4/100	100	2
ARJ6/150	150	2
ARJ7/175	175	2
ARJ7/175-6STS	175	6
ARJ10/250	250	2
ARJ14/350	350	2



Extra Hinge Pins & Rivets

Item No.	Belt Width (mm)	Pkg. Qty.
ARSH4/100	100	9
ARSH6/150	150	8
ARSH7/175	175	8
ASH10/250	250	4
ARSH14/350	350	4
AR3-15 (Rivets)	—	15



Bolts (Hinged)

- Available in different sizes.

Item No.	Belt Width (mm)	Belt Thickness Range (mm)	Weight (kg)
375XJ400NC-SN	400	6 - 10	1.28
375XJ500NC-SN	500	6 - 10	1.59
375XJ650NC-SN	650	6 - 10	2.07
550J500NC-SN	500	6 - 16	1.66
550J650NC-SN	650	6 - 16	2.16
550J800NC-SN	800	6 - 16	2.66



Loose Bulk Fasteners

Item No.	Weight (kg)	Pkg. Qty.
375X-3-SN	3.86	18
550-3-SN	5.90	18



Coil

Item No.	Diameter (mm)	Fasteners	Belt Width (mm)
NC-500-1	6.3	R2, R5, 375, 550	500
NC-650-1	6.3	R2, R5, 375, 550	650
NC-800-1	6.3	R2, R5, 375, 550	800



Installation Tools

Item No.	Width (mm)	Weight (kg)
MSRT-30E-AL*	750	35
MSRT-36E-AL*	900	40
MSRT-42E-AL*	1050	45
MSRT-48E-AL*	1200	49
MSRT-60E-AL*	1500	65
MSRT-72E-AL	1800	47

*with Tool Box



J-Carton Fasteners

- Each J-box contains one complete splice with rivets and NC-hingepin.
- Use the product key below to help choose the correct fasteners for your conveyor belt.

PRODUCT KEY		
Belt Thickness Range (mm)	Minimum Pulley Ø (mm)	Use Item No.
3 - 10	125	R2
6 - 11	175	R5



Belt Thickness Range: 3-6mm

Item No.	Belt Width (mm)	Fastener Weight (kg)
R2J-20/500AANC	500	0.75
R2J-26/650AANC	650	0.97
R2J-32/800AANC	800	1.20
R2J-40/1000AANC	1000	1.50
R2J-48/1200AANC	1200	1.80

Belt Thickness Range: 4-8mm

Item No.	Belt Width (mm)	Fastener Weight (kg)
R2J-20/500ANC	500	0.75
R2J-26/650ANC	650	0.97
R2J-32/800ANC	800	1.20
R2J-40/1000ANC	1000	1.50
R2J-48/1200ANC	1200	1.80



Belt Thickness Range: 7-10mm

Item No.	Belt Width (mm)	Fastener Weight (kg)
R5J-SE-20/500NC	500	0.75
R5J-SE-26/650NC	650	0.97
R5J-SE-32/800NC	800	1.20
R5J-SE-40/1000NC	1000	1.50
R5J-SE-48/1200NC	1200	1.80



Steel Fasteners

- Use the product key below to help choose the correct fasteners for your conveyor belt.

PRODUCT KEY			
Max. Belt Tensile Strength N/mm	Belt Thickness Range (mm)	Recommended Min. Pulley Ø (mm)	Use Item No.
400	5 - 11	200	140
630	8 - 14	400	190



Steel Fasteners

Item No.	Weight (kg)	Box Qty.
140E	2.08	25
190E	2.17	25

Stainless Steel Fasteners

- AISI 316 non-magnetic

Item No.	Weight (kg)	Box Qty.
140ES	2.08	25
190ES	2.17	25

Repair Set

- Bucket containing 50 fasteners, HP1, 110, and approximately 5m LOK tape.

Item No.	Weight (kg)	Box Qty.
FVS 140	6.24	50
FVS 190	6.51	50

Sixpoint Steel Fasteners

Item No.	Belt Thickness (mm)	Point Length (mm)	Weight (kg)	Box Qty.
SS200	2.5 - 4	8	0.16	100
SS201	4 - 6	10	0.20	100
SS202	6 - 8	12	0.48	100
SS203	8 - 10	15	0.94	100
SS204	10 - 13	20	1.40	100
SS205	13 - 15	23	2.38	100
SS206	15 - 18	27	4.06	100
SS207	18 - 21	35	6.62	100

Power Tool Accessories

Item No.	Description	Fastener Size
HP1	BELT PUNCH	140E / 190E / 140 ES / 190 ES
HW1	WRENCH	140E / 190E / 140 ES / 190 ES
5552	QUICK CHANGE CHUCK	For HP1 + HW1 Tools

Rubber Covered Top Plates

Item No.	Description	Size (mm)	Box Qty.
190 VP	RUBBER COVERED TOP PLATES	180	5



Index by Product Category & Item Number

CEMENTS & CHEMICALS

Item Number	Page				
		658F/55GAL	3	960/GAL	2
1090F/8OZ	2	697.....	4	960/5GAL.....	2
1090F/QT	2	697-5	4	968F/30CC	2
1090F/GAL.....	2	816F/400ML.....	3	968F/60CC	2
1090F/5GAL	2	816F/QT	3	975.....	3
1090F/53GAL.....	2	816F/GAL	3	992/QT	1
418-08907	4	816F/5GAL	3	992/GAL	1
418-08910	4	816F/55GAL	3	992/55GAL.....	1
608F/8OZ	3	8701.....	4	992F/8OZ	1
608F/QT	3	8702.....	4	992F/QT	1
658F/8OZ	3	8703.....	4	992F/GAL	1
658F/QT	3	8707.....	4	992F/5GAL	1
658F/GAL	3	960/QT	2	992F/55GAL	1
				993F/QT	1
				993F/GAL	1
				993F/5GAL	1
				PANGKIT	1
				PANGKITF	1
				PPANGKIT2	2
				RS3F/QT	4
				RS3F/GAL	4
				RS3F/5GAL	4
				TPL11	4

RUBBER & BELT REPAIR MATERIALS

Item Number	Page				
		EF100G	5	NDP5	5
DP5	5	EF150G	5	NDP10	5
DP10	5	EF300G	5	NDP15	5
DP15	5	EF500G	5	NDP20	5
DP20	5	EFPS250G	5	NPL10LF	5
				NPL15LF	5
				PLC10LF	5
				PLC15LF	5

UNCURED RUBBER & SPLICE MATERIALS

Item Number	Page				
		BT18RL	7	LNBX	7
862BX	6	BTLG-125/10#BX	7	LPV127-500	7
863BX	6	CTGS/BX15	6	LPV127-5002.0	7
864BX	6	GH100BX	6	LPV127-5003.0	7
867BX	6	GH200BX	6	LPV127-5004.0	7
868BX	6	GH218BX	6	LPV127-5005.0	7
BN18RL	7	LA18BX	7	LPV127-5006.0	7
BH18RL	7	LMBX	7	LTBX	7
				PCS018RL	6
				PCS116RL	6
				PCS132RL	6
				PCS316RL	6
				RR6.....	7
				TCJRL	7

TOOLS & ACCESSORIES

Item Number	Page				
		428.....	13	481.....	13
110FP-SET/2LB	9	429.....	13	481-1	13
120FP-SET/4LB	9	431.....	11	482.....	13
130A	9	432.....	11	485-1	11
130B	9	433.....	11	486.....	11
130C	9	442.....	31	486-1	11
140E	37	443.....	31	486-2	11
140ES	37	444.....	31	486-3	11
190 VP	38	448.....	31	486-4	11
190E	37	448-1	31	487.....	11
190ES	37	448-4	31	488.....	11
269.....	30	448-5	31	489.....	11
322.....	31	452.....	31	490.....	13
375X-3-SN	34	453.....	31	550-3-SN	34
375XJ400NC-SN	34	455.....	31	550J500NC-SN	34
375XJ500NC-SN	34	463-3	13	550J650NC-SN	34
375XJ650NC-SN	34	463-4	13	550J800NC-SN	34
423.....	15	467.....	12	551.....	18
425.....	15	469.....	12	552-01	18
426.....	15	480.....	13	552.....	18
427.....	15	480-1	13	553-Blue	18
				553-Green	18
				553-Red	18
				553-Yellow	18
				553-01 Blue	18
				553-01 Green	18
				553-01 Red	18
				553-01 Yellow	18
				554-Blue	18
				554-Green	18
				554-Red	18
				554-Yellow	18
				556-1G	18
				556G	18
				590.....	15
				591.....	15
				592.....	11
				592-1	11
				599.....	11
				683.....	9
				685EL	8

Index by Product Category & Item Number

TOOLS & ACCESSORIES

Item Number	Page				
		1111.....	26	BJ CW102	24
724.....	12	1111-1	26	CARB200	24
790.....	29	1112.....	26	FVS 140	37
791.....	29	1112-1	26	FVS 190	37
793.....	29	1123.....	26	GWS 30-180B	23
812.....	30	1123-1	26	HP1.....	38
813.....	30	1150.....	15	HW1	38
814.....	30	1152.....	15	L-06	14
830.....	11	1153.....	22	L-08	14
831.....	11	1154.....	15	L-10	14
832.....	11	1350.....	14	L-12	14
833.....	22	1351.....	24	L-14	14
838.....	17	1400.....	19	L-16	14
839.....	16	1401.....	19	L-18	14
840.....	16	1402.....	19	L-20	14
841.....	16	1403.....	19	L-22	14
843.....	16	1404.....	19	L-24	14
844.....	16	1405.....	19	L-26	14
848.....	13	1406.....	19	L-28	14
848-1	13	24005.....	15	L-30	14
848-2	13	2538.....	23	LD BELT CLAMP	16
850.....	16	2540.....	23	LS-1/06-24	14
851.....	16	2541.....	23	MSRT-30E-AL	35
852.....	27	2548.....	25	MSRT-36E-AL	35
855.....	27	2549.....	25	MSRT-42E-AL	35
870.....	23	2550.....	25	MSRT-48E-AL	35
871.....	23	2551.....	25	MSRT-60E-AL	35
872.....	23	2552.....	25	MSRT-72E-AL	35
873.....	23	2553.....	25	NC-500-1	34
879.....	23	2554.....	23	NC-650-1	34
880.....	23	2556.....	23	NC-800-1	34
881.....	23	5552.....	38	PS15OTR	21
882.....	23	7251.....	12	PS15/C-1	21
883.....	28	7252.....	12	PS15/C-2	21
883-1	28	7253.....	12	PS15/C-3	21
884.....	28	7254.....	12	PS15/C-4	21
885.....	13	8658.....	22	PS15/C-5	21
886.....	13	8659.....	22	PS15/R-1	21
887.....	14	68301	9	PS15/R-2	21
888.....	14	68540	8	PS15/R-3	21
889.....	18	AR3-15	33	PS15/R-4	21
1010.....	22	ARJ10/250	33	PS15/R-5	21
1075.....	17	ARJ14/350	33	R2J-20/500AANC	36
1076.....	17	ARJ4/100	33	R2J-20/500ANC	36
1078.....	10	ARJ6/150	33	R2J-26/650AANC	36
1079.....	28	ARJ7/175	33	R2J-26/650ANC	36
1080.....	20	ARJ7/175-6STS	33	R2J-32/800AANC	36
1081.....	20	ARSH10/250	33	R2J-32/800ANC	36
1082.....	20	ARSH14/350	33	R2J-40/1000AANC	36
1083.....	28	ARSH4/100	33	R2J-40/1000ANC	36
1086.....	15	ARSH6/150	33	R2J-48/1200AANC	36
1087.....	13	ARSH7/175	33	R2J-48/1200ANC	36
1088.....	20	ART-7	33	R5J-SE-20/500NC	36
1088-1	20	ARTK-7	33	R5J-SE-26/650NC	36
1095.....	11	ART-10	33	R5J-SE-32/800NC	36
1095-1	11	ART-14	33	R5J-SE-40/1000NC	36
1099.....	25	ARTK-14	33	R5J-SE-48/1200NC	36
1100.....	24	BJ CW76	24	RS62J12/300NC	32
				RS62SJ12/300NCS	32
				RS125J12/300NC	32
				RS125SJ12/300NCS	32
				RS187J12/300NC	32
				RS187SJ12/300NCS	32
				RSC187	32
				RSC187-4	32
				RSTK4-12	32
				RSTK4-6	32
				SS200	38
				SS201	38
				SS202	38
				SS203	38
				SS204	38
				SS205	38
				SS206	38
				SS207	38
				TCW315	24
				TCW415	24
				TFW310	24
				TFW415	24

Index by Product Category & Name

CEMENTS & CHEMICALS

Item Number	Page		Page
ACTIVATOR	2	PANGOFOL BLACK CFC FREE	1
BLUE MAXIBOND CEMENT	3	PANGOFOL WHITE	1
BUFSOL PRE-BUFF CLEANER.....	3	PLASTOPANG	2
LUBRICANTS	4	RAPID SOLUTION VULCANIZING CEMENT	4
PANG PRIMER	2	SALVADORI CEMENTS & CHEMICALS	4
PANGOFOL BLACK	1	SUPERSOLUTION	3

RUBBER & BELT REPAIR MATERIALS

Item Number	Page		Page
CHEMICAL BELT REPAIR PATCHES	5	RUBBER REPAIR RESINS.....	5

UNCURED RUBBER & SPLICE MATERIALS

Item Number	Page		Page
CHEMICAL CURE RUBBER	6	TIE GUM	7
COVER STOCK	6	FABRIC REINFORCED RUBBER	7
		BUTYL GUM.....	7
		ROPE RUBBER & CUSHION GUM.....	7

TOOLS & ACCESSORIES

Item Number	Page		Page
A&B STRIP RUBBER EXTRUDER	9	FLEXCO SMART CLAMP	16
ANGLE GRINDER & ACCESSORIES.....	19	GRINDERS	23-24
BATTERY POWERED BELT CUTTER	29	HIGH PRESSURE STITCHERS.....	15
BELT CLAMPS.....	16	HOT AIR GUNS	27
BELT CUTTER BLADE	29	INSPECTION LAMP	30
BELT PUNCH SET	14	KNIVES & BLADES.....	13
BELT STRIPPING TOOLS	16	MARKING CRAYONS.....	18
BLADES & CUTTING TOOLS.....	11	MCM DISCS.....	23
BOSCH PLANER	14	MEASURING INSTRUMENTS.....	18
BRUSHES	15	PLIERS & CABLE CUTTERS	13 & 27
BRUSHING UNIT for CONVEYOR BELTS.....	26	PNEUMATIC HAMMERS.....	22
CABLE STRIPPER	28	PORTABLE STAR WHEEL GRINDER.....	25
CABLE WINCH	17	PULLEY LAGGING.....	22
CARBIDE & MCM WHEELS.....	24	RECTANGULAR RUBBER BRANDER.....	30
CHAIN WINCH	17	REGROOVER.....	21
CHEMICAL CURE A&B RUBBER	9	REGROOVER BLADES.....	21
CLAMPING SCREWS.....	14	RUBBER SKIVERS.....	20
CONCAVE BRUSH FOR STEEL CORDS	28	SPARE BELT PUNCHES	14
ELECTRIC BELT CUTTER	29	SPLICING TOOL KIT	10
ELECTRIC KNIFE HEATERS	12	STAR WHEELS	25
ELECTRICAL EXTRUDER GUN.....	8	STEEL CABLE STRIPPING	27
ELECTRICAL EXTRUDER GUN KIT	8	STITCHERS & REPLACEABLE PINS	31
FLAT DISCS.....	23	THERMOCUTTER	12
FLEXCO ACCESSORIES.....	32-38		



PANG Industrial is your dedicated partner to keep your business running smoothly and ensure maximum service life from your conveyor installations. Whatever your industry, PANG Industrial has you covered!

Get in touch with our team to discuss:

- Product Requirements
- Specialized Training
- Demonstrations
- Application Support



+32 14 423 103



techeurope@trc4r.com



pangindustrial.com

NOTES

NOTES




Splice. Protect. Repair.



Koeybleuken 16, 2300 Turnhout, Belgium

 +32 14 423 103

 techeurope@trc4r.com

 www.pangindustrial.com